### FIN® 汇制

Quality for survival innovation for growth

# AC AUTOMATIC VOLTAGE REGULATOR

### **SERIES**

TMO	MOD
TMU	TMP
MOU	COC
ZY95	TVC



www.syhn-electric.com



















### TMO95 SERIES

### **PRODUCT PARAMETERS**

- TMO95-0.5KVA/1KVA/1.5KVA
- TMO95-2KVA



Quality for survival innovation for growth



# **TMO95** 0.5KVA/1KVA/1.5KVA



### **P** 定能 www.syhn-electric.com



#### AC AUTOMATIC VOLTAGE REGULATOR

### TMO95-0.5KVA / 1KVA / 1.5KVA

### PRODUCT FEATURES

The product of this model is a 220V fully automatic small-sized voltage regulator, which is a portable LED digital display design. It is characterized by small size, light weight, high voltage regulation speed and no waveform distortion.

### APPLICATION













PRODUCT PARAMETERS

MODEL	0.5KVA	1KVA	1.5KVA
INPUT VOLTAGE		AC 95-270V	
OUTPUT VOLTAGE		220V±10%	
DELAY TIME	Short De	elay:3-5secs Long Dela	ay:3-7mins
PROTECTION	AC 246±4V		
POWER	0.5KW	1KW	1.5KW
PRODUCT SIZE(MM)	200×127×76.5 215×142×101.5		2×101.5
PACKING SIZE(MM)	280×330×235 310×315×285		15×285
PCS/CARTON	6		
TMO95 N.W.(KGS)	2.6	3.2	3.5
SCREEN	LED-7A		



# **TMO95-**2KVA



### B 汇制 www.syhn-electric.com



#### AC AUTOMATIC VOLTAGE REGULATOR

### **TMO95-2KVA**

#### PRODUCT FEATURES

The product of this model is a 220V fully automatic small-sized voltage regulator, which is a portable LED digital display design. It is characterized by small size, light weight, high voltage regulation speed and no waveform distortion.

### APPLICATION













Printer - Computer

MODEL	2KVA
INPUT VOLTAGE	AC 95-270V
OUTPUT VOLTAGE	220V±10%
DELAY TIME	Short Delay:3-5secs Long Delay:3-7mins
PROTECTION	AC 246±4V
POWER	2KW
PRODUCT SIZE(MM)	238×157×102.5
PACKING SIZE(MM)	505×315×285
PCS/CARTON	6
TMO95 N.W.(KGS)	4.7
SCREEN	LED-7A



# TMU SERIES

### **PRODUCT PARAMETERS**

- TMU-5KVA/8KVA
- TMU-10KVA/12KVA
- TMU-15KVA/20KVA
- TMU-30KVA



TMU95-15kVA

AC AUTOMATIC

VOLTAGE REGULATOR

INPUT AC 89-280V OUTPUT AC 2520/215%

Quality for survival innovation for growth



# TMU 5KVA/8KVA 10KVA/12kVA



### B 定能 www.syhn-electric.com



#### AC AUTOMATIC VOLTAGE REGULATOR

### **TMU-5KVA / 8KVA / 10KVA / 12KVA**

### PRODUCT FEATURES

The product of this model is a 220V fully automatic small-sized voltage regulator, which is a portable LED digital display design. It is characterized by small size, light weight, high voltage regulation speed and no waveform distortion.

### APPLICATION













MODEL	5KVA	8KVA	10KVA	12KV
INPUT VOLTAGE	AC 45-	280V / AC 60-	280V / AC 95-	280V
OUTPUT VOLTAGE		220V:	±10%	
DELAY TIME	!	Short Delay:3-5s	ecs Long Delay:3	-7mins
PROTECTION	AC 246±4V			
POWER	5KW	8KW	10KW	12KW
PRODUCT SIZE(MM)	420×290×138 460×320×169			
PACKING SIZE(MM)	470×340×195		515×375×230	
PCS/CARTON	1			
TMU45 N.W.(KGS)	17.8	21.2	24.7	26.4
TMU95 N.W.(KGS)	15.35	18.4	22.5	23.6
SCREEN	LED-3E			



# TMU 15KVA/20KVA



### **EXAMPLE 1** ® **汇能** www.syhn-electric.com



#### AC AUTOMATIC VOLTAGE REGULATOR

### TMU-15KVA/20KVA

### PRODUCT FEATURES

The product of this model is a 220V fully automatic small-sized voltage regulator, which is a portable LED digital display design. It is characterized by small size, light weight, high voltage regulation speed and no waveform distortion.

#### APPLICATION













PRODUCT PARAMETERS

MODEL	15KVA	20KVA
INPUT VOLTAGE	AC 45-280V / AC 60-	280V / AC 95-280V
OUTPUT VOLTAGE	220V	±10%
DELAY TIME	Short Delay:3-5s	ecs Long Delay:3-7mins
PROTECTION	AC 24	16±4V
POWER	15KW	20KW
PRODUCT SIZE(MM)	302×290×410	
PACKING SIZE(MM)	365×355×455	
PCS/CARTON	1	
TMU45 N.W.(KGS)	31	32
TMU95 N.W.(KGS)	28.7	30.65
SCREEN	LED-3E	



### **TMU-**30KVA



### ® 汇能 www.syhn-electric.com









#### AC AUTOMATIC VOLTAGE REGULATOR

### TMU-30KVA

### PRODUCT FEATURES

The product of this model is a 220V fully automatic small-sized voltage regulator, which is a portable LED digital display design. It is characterized by small size, light weight, high voltage regulation speed and no waveform distortion.

### APPLICATION













MODEL	30KVA	
INPUT VOLTAGE	AC 45-280V / AC 60-280V / AC 95-280V	
OUTPUT VOLTAGE	220V±10%	
DELAY TIME	Short Delay:3-5secs Long Delay:3-7mins	
PROTECTION	AC 246±4V	
POWER	30KW	
PRODUCT SIZE(MM)	415×450×522.5	
PACKING SIZE(MM)	455×505×615	
PCS/CARTON	1	
TMU45 N.W.(KGS)	51	
TMU95 N.W.(KGS)	49	
SCREEN	LED-3E	



# MOU SERIES

- MOU-3KVA/5KVA(X)
- MOU-5KVA/8KVA
- MOU-10KVA/12KVA/15KVA





# MOU 3KVA/5KVA(X)



### **Example 1** ® **汇制** www.syhn-electric.com



#### AC AUTOMATIC VOLTAGE REGULATOR

### MOU-3KVA/5KVA(X)

#### PRODUCT FEATURES

The product of this model is a 220V fully automatic small-sized voltage regulator, which is a portable LED digital display design. It is characterized by small size, light weight, high voltage regulation speed and no waveform distortion.

### APPLICATION













MODEL	3KVA	5KVA (X)
INPUT VOLTAGE	AC 45-270V / AC 60-	270V / AC 95-270V
OUTPUT VOLTAGE	220V±	10%
DELAY TIME	Short Delay:3-5s	ecs Long Delay:3-7mins
PROTECTION	AC 246	5±4V
POWER	3KW	5KW
PRODUCT SIZE(MM)	390×245×100	
PACKING SIZE(MM)	450×315×155	
PCS/CARTON	1	
MOU45 N.W.(KGS)	12.3	12.8
MOU95 N.W.(KGS)	10.1	11.3
SCREEN	LED-3E	



# MOU 5KVA/8KVA



### ® **汇能**www.syhn-electric.com



#### AC AUTOMATIC VOLTAGE REGULATOR

### MOU-5KVA/8KVA

#### PRODUCT FEATURES

The product of this model is a 220V fully automatic small-sized voltage regulator, which is a portable LED digital display design. It is characterized by small size, light weight, high voltage regulation speed and no waveform distortion.

### APPLICATION













MODEL	5KVA	8KVA
INPUT VOLTAGE	AC 45 /60	/95-280V
OUTPUT VOLTAGE	220V±	10%
DELAY TIME	Short Delay:3-5se	cs Long Delay:3-7mins
PROTECTION	AC 246	5±4V
POWER	5KW	8KW
PRODUCT SIZE(MM)	410×295×150	
PACKING SIZE(MM)	460×345×220	
PCS/CARTON	1	
MOU45 N.W.(KGS)	15.36	19.4
MOU95 N.W.(KGS)	14.3	18.3
SCREEN	LED-3E	



## MOU 10KVA/12KVA 15KVA



### **E** 定能 www.syhn-electric.com



#### AC AUTOMATIC VOLTAGE REGULATOR

### MOU-10KVA/12KVA/15KVA

#### PRODUCT FEATURES

The product of this model is a 220V fully automatic small-sized voltage regulator, which is a portable LED digital display design. It is characterized by small size, light weight, high voltage regulation speed and no waveform distortion.

#### APPLICATION













MODEL	10KVA	12KVA	15KVA	
INPUT VOLTAGE	AC 45-280V	/ AC 60-280V / A	C 95-280V	
OUTPUT VOLTAGE		220V±10%		
DELAY TIME	Short De	lay:3-5secs Long Delay	/:3-7mins	
PROTECTION		AC 246±4V		
POWER	10KW	12KW	15KW	
PRODUCT SIZE(MM)	450×310×173			
PACKING SIZE(MM)	518×385×237			
PCS/CARTON	1			
MOU45 N.W.(KGS)	22.34	25.2	26.7	
MOU95 N.W.(KGS)	21.74	22.9	24.4	
SCREEN	LED-3E			



# MOU 20KVA



### B 汇制 www.syhn-electric.com



#### AC AUTOMATIC VOLTAGE REGULATOR

### **MOU-20KVA**

### PRODUCT FEATURES

The product of this model is a 220V fully automatic small-sized voltage regulator, which is a portable LED digital display design. It is characterized by small size, light weight, high voltage regulation speed and no waveform distortion.

### APPLICATION













PRODUCT PARAMETERS

MODEL	20KVA	
INPUT VOLTAGE	AC 45-280V / AC 60-280V / AC 95-280V	
OUTPUT VOLTAGE	220V±10%	
DELAY TIME	Short Delay:3-5secs Long Delay:3-7mins	
PROTECTION	AC 246±4V	
POWER	20KW	
PRODUCT SIZE(MM)	450×310×183	
PACKING SIZE(MM)	518×385×247	
PCS/CARTON	1	
MOU45 N.W.(KGS)	29.55	
MOU95 N.W.(KGS)	26.5	
SCREEN	LED-3E	



# ZY95 SERIES

- ZY95-A3KVA/A5KVA
- ZY95-A8KVA/10KVA
- ZY95-A12KVA/A15KVA/A20KVA
- ZY95-A30KVA







# ZY95 A3KVA/A5KVA





Quality for survival innovation for growth

### ® 汇制 www.syhn-electric.com



#### AC AUTOMATIC VOLTAGE REGULATOR

### **ZY95-A3K/A5K**

### PRODUCT FEATURES

The product of this model is a 220V fully automatic small-sized voltage regulator, which is a portable LED digital display design. It is characterized by small size, light weight, high voltage regulation speed and no waveform distortion.

### APPLICATION













Wate

MODEL	3KVA	5KVA	
INPUT VOLTAGE	AC 95-270V		
OUTPUT VOLTAGE	220V±	10%	
DELAY TIME	Short Delay:3-5s	ecs Long Delay:3-7mins	
PROTECTION	AC 246±4V		
POWER	3KW	5KW	
PRODUCT SIZE(MM)	330×220.4×129.2		
PACKING SIZE(MM)	380×270×185		
PCS/CARTON	1		
ZY95 N.W.(KGS)	8.3	10.42	
SCREEN	LED-4L		



# **ZY95**A8KVA/10KVA





### **P** 定能 www.syhn-electric.com



#### AC AUTOMATIC VOLTAGE REGULATOR

### **ZY95-A8KVA/10KVA**

### PRODUCT FEATURES

The product of this model is a 220V fully automatic small-sized voltage regulator, which is a portable LED digital display design. It is characterized by small size, light weight, high voltage regulation speed and no waveform distortion.

### APPLICATION













Water pur

MODEL	8kVA	10KVA
INPUT VOLTAGE	AC 45-280V / AC 60-	280V / AC 95-280V
OUTPUT VOLTAGE	220V±	:10%
DELAY TIME	Short Delay:3-5se	cs Long Delay:3-7mins
PROTECTION	AC 246	5±4V
POWER	8KW 10KW	
PRODUCT SIZE(MM)	408×270.4×151.2	
PACKING SIZE(MM)	458×320×210	
PCS/CARTON	1	
ZY95 N.W.(KGS)	15.69	18.14
SCREEN	LED-3L	



# ZY95 A12KVA/A15KVA/A20KVA





### **Example 1** ® **汇能** www.syhn-electric.com



#### AC AUTOMATIC VOLTAGE REGULATOR

### ZY95-A12KVA/A15KVA/A20KVA

#### PRODUCT FEATURES

The product of this model is a 220V fully automatic small-sized voltage regulator, which is a portable LED digital display design. It is characterized by small size, light weight, high voltage regulation speed and no waveform distortion.

### APPLICATION













PRODUCT PARAMETERS

MODEL	12KVA	15KVA	20KVA			
INPUT VOLTAGE	AC 45-280V / AC 60-280V / AC 95-280V					
OUTPUT VOLTAGE	220V±10%					
DELAY TIME	Short Delay:3-5secs Long Delay:3-7mins					
PROTECTION	AC 246±4V					
POWER	12KW	15KW	20KW			
PRODUCT SIZE(MM)	428×270	431×270.4×171.2				
PACKING SIZE(MM)	478×320×220		480×320×230			
PCS/CARTON	1					
ZY95 N.W.(KGS)	19.95	22.8	24.6			
SCREEN	LED-3L					



# **ZY95-**A30KVA





### **P** 定能 www.syhn-electric.com









#### AC AUTOMATIC VOLTAGE REGULATOR

### ZY95-A30KVA

### PRODUCT FEATURES

The product of this model is a 220V fully automatic small-sized voltage regulator, which is a portable LED digital display design. It is characterized by small size, light weight, high voltage regulation speed and no waveform distortion.

### APPLICATION













PRODUCT PARAMETERS

MODEL	30kVA			
INPUT VOLTAGE	AC 95-270V			
OUTPUT VOLTAGE	220V±10%			
DELAY TIME	Short Delay:3-5secs Long Delay:3-7mins			
PROTECTION	AC 246±4V			
POWER	30KW			
PRODUCT SIZE(MM)	345×440×420			
PACKING SIZE(MM)	400×495×570			
PCS/CARTON	1			
ZY95 N.W.(KGS)	50			
SCREEN	LED-3L			



# MOD SERIES

- MOD-3KVA/5K(X)/5KVA/8KVA
- MOD-10KVA/12KVA/15KVA/20KVA





# MOD

3KVA/5KVA(X) 5KVA/8KVA



### **Example 1** ® **定能** www.syhn-electric.com



AC AUTOMATIC VOLTAGE REGULATOR

### MOD-3KVA/5KVA(X)/5KVA/8KVA

### PRODUCT FEATURES

The product of this model is a 220V fully automatic small-sized voltage regulator, which is a portable LED digital display design. It is characterized by small size, light weight, high voltage regulation speed and no waveform distortion.

### APPLICATION













MODEL	3KVA	5KVA (S)	5KVA	8KVA	
INPUT VOLTAGE	AC 45 /60/95-270V		AC 45 /60/95-280V		
OUTPUT VOLTAGE	220V±10%				
DELAY TIME	Short Delay:3-5secs Long Delay:3-7mins				
PROTECTION	AC 246±4V				
POWER	3KW	5KW	5KW	8KW	
PRODUCT SIZE(MM)	390×245×100		410×295×150		
PACKING SIZE(MM)	450×3105×155		460×345×220		
PCS/CARTON	1				
MOD45 N.W.(KGS)	12.3	12.8	15.36	19.4	
MOD95 N.W.(KGS)	10.1	11.3	14.3	18.3	
SCREEN	LE4-4L		LED-3L		



# MOD 10KVA/12KVA 15KVA/20KVA



### **E** 定能 www.syhn-electric.com



#### AC AUTOMATIC VOLTAGE REGULATOR

### MOD-10KVA/12KVA/15KVA/20KVA

#### PRODUCT FEATURES

The product of this model is a 220V fully automatic small-sized voltage regulator, which is a portable LED digital display design. It is characterized by small size, light weight, high voltage regulation speed and no waveform distortion.













PRODUCT PARAMETERS

MODEL	10KVA	12kVA	15KVA	20KVA
INPUT VOLTAGE	AC 45-280V / AC 60-280V / AC 95-280V			280V
OUTPUT VOLTAGE		220V±	10%	
DELAY TIME	Shor	t Delay:3-5secs L	ong Delay:3-7m	ins
PROTECTION	AC 246±4V			
POWER	10KW	12KW	15KW	20KW
PRODUCT SIZE(MM)	450×310×173 450×310×183			450×310×183
PACKING SIZE(MM)	518×385×237 518×385×247			518×385×247
PCS/CARTON	1			
MOD45 N.W.(KGS)	22.34	25.2	26.7	29.55
MOD95 N.W.(KGS)	21. 74	22.9	24.4	26.5
SCREEN	LED-3L			





# TMP 3KVA/5KVA(X)



### ® **汇能**www.syhn-electric.com



#### AC AUTOMATIC VOLTAGE REGULATOR

### TMP-3KVA/5KVA(X)

#### PRODUCT FEATURES

The product of this model is a 220V fully automatic small-sized voltage regulator, which is a portable LED digital display design. It is characterized by small size, light weight, high voltage regulation speed and no waveform distortion.

#### APPLICATION













Water

#### PRODUCT PARAMETERS

MODEL	3KVA	5KVA (X)	
INPUT VOLTAGE	AC 45-270V / AC 60-	280V / AC 95-280V	
OUTPUT VOLTAGE	220V±	±10%	
DELAY TIME	Short Delay:3-5s	secs Long Delay:3-7mins	
PROTECTION	AC 24	6±4V	
POWER	3KW	5KW	
PRODUCT SIZE(MM)	390×245×100		
PACKING SIZE(MM)	450×310.5×155		
PCS/CARTON	1		
TMP45 N.W.(KGS)	12.3	12.8	
TMP95 N.W.(KGS)	10.1	11.3	
SCREEN	LED-4BF		



# TMP 5KVA/8KVA



### **FITT**® **汇能** www.syhn-electric.com



#### AC AUTOMATIC VOLTAGE REGULATOR

### TMP-5KVA/8KVA

#### PRODUCT FEATURES

The product of this model is a 220V fully automatic small-sized voltage regulator, which is a portable LED digital display design. It is characterized by small size, light weight, high voltage regulation speed and no waveform distortion.

#### APPLICATION













Water pu

#### PRODUCT PARAMETERS

MODEL	5KVA	8KVA	
INPUT VOLTAGE	AC 45-280V / AC 60-	280V / AC 95-280V	
OUTPUT VOLTAGE	220V±	:10%	
DELAY TIME	Short Delay:3-5sec	s Long Delay:3-7mins	
PROTECTION	AC 240	6±4V	
POWER	5KW 8KW		
PRODUCT SIZE(MM)	410×295×150		
PACKING SIZE(MM)	460×345×220		
PCS/CARTON	1		
TMP45 N.W.(KGS)	15.36	19.4	
TMP95 N.W.(KGS)	14.3	18.3	
SCREEN	LED-4BF		



## **TMP**

10KVA/12KVA 15KVA



#### B 定能 www.syhn-electric.com



#### AC AUTOMATIC VOLTAGE REGULATOR

### TMP-10KVA/12KVA/15KVA

#### PRODUCT FEATURES

The product of this model is a 220V fully automatic small-sized voltage regulator, which is a portable LED digital display design. It is characterized by small size, light weight, high voltage regulation speed and no waveform distortion.

#### APPLICATION













#### PRODUCT PARAMETERS

MODEL	10KVA	12kVA	15KVA
INPUT VOLTAGE	AC 45-280V	/ AC 60-280V / A	AC 95-280V
OUTPUT VOLTAGE		220V±10%	
DELAY TIME	Short Dela	y:3-5secs Long Delay:	3-7mins
PROTECTION		AC 246±4V	
POWER	10KW 12KW 15KW		
PRODUCT SIZE(MM)	450×310×173		
PACKING SIZE(MM)	518×385×237		
PCS/CARTON	1		
TMP45 N.W.(KGS)	22.34	25.2	26.7
TMP95 N.W.(KGS)	21. 74 22.9 24.4		
SCREEN	LED-3BF		



# TMP-20KVA



#### **P** 定能 www.syhn-electric.com



#### AC AUTOMATIC VOLTAGE REGULATOR

### TMP-20KVA

#### PRODUCT FEATURES

The product of this model is a 220V fully automatic small-sized voltage regulator, which is a portable LED digital display design. It is characterized by small size, light weight, high voltage regulation speed and no waveform distortion.













PRODUCT PARAMETERS

MODEL	20KVA	
INPUT VOLTAGE	AC 45-280V / AC 60-280V / AC 95-280V	
OUTPUT VOLTAGE	220V±10%	
DELAY TIME	Short Delay:3-5secs Long Delay:3-7mins	
PROTECTION	AC 246±4V	
POWER	20KW	
PRODUCT SIZE(MM)	450×310×183	
PACKING SIZE(MM)	518×385×247	
PCS/CARTON	1	
TMP45 N.W.(KGS)	29.55	
TMP95 N.W.(KGS)	26.5	
SCREEN	LED-4BF	



COC SERIES

#### PRODUCT PARAMETERS

- 0.5KVA/1KVA/2KVA
- 3KVA
- 5KVA
- 10KVA
- 15KVA/20KVA





COC 0.5KVA/1KVA/2KVA



Quality for survival innovation for growth

#### **P** 定能 www.syhn-electric.com



#### AC AUTOMATIC VOLTAGE REGULATOR

### COC-0.5KVA/1KVA/2KVA

#### PRODUCT FEATURES

The product of this model is a 220V fully automatic small-sized voltage regulator, which is a portable LED digital display design. It is characterized by small size, light weight, high voltage regulation speed and no waveform distortion.













PRODUCT PARAMETERS

MODEL	0.5KVA	1KVA	1.5KVA	2KVA
INPUT VOLTAGE	AC 95-270V			
OUTPUT VOLTAGE		220V	±10%	
DELAY TIME	Sh	ort Delay:3-5sec	s Long Delay:3-7	mins
PROTECTION	AC 246±4V			
POWER	0.5KW	1KW	1.5KW	2KW
PRODUCT SIZE(MM)	255x160x85 365×168×135			68×135
PACKING SIZE(MM)	515x350x255 515x375x285			75x285
PCS/CARTON	6			
COC95 N.W.(KGS)	2.79	3.4	4.65	5.5
SCREEN	LED-4G			



COC 3KVA



#### **FT**<sup>®</sup> 定能 www.syhn-electric.com









#### AC AUTOMATIC VOLTAGE REGULATOR

### COC3KVA

#### PRODUCT FEATURES

The product of this model is a 220V fully automatic small-sized voltage regulator, which is a portable LED digital display design. It is characterized by small size, light weight, high voltage regulation speed and no waveform distortion.













PRODUCT PARAMETERS

MODEL	ЗКVА
INPUT VOLTAGE	AC 95-270V
OUTPUT VOLTAGE	220V±10%
DELAY TIME	Short Delay:3-5secs Long Delay:3-7mins
PROTECTION	AC 246±4V
POWER	3KW
PRODUCT SIZE(MM)	320x220x120
PACKING SIZE(MM)	410x270x170
PCS/CARTON	1
COC95 N.W.(KGS)	9.25
SCREEN	LED-4G



# COC 5KVA



#### **P** 定能 www.syhn-electric.com



#### AC AUTOMATIC VOLTAGE REGULATOR

### COC-5KVA/8KVA

#### PRODUCT FEATURES

The product of this model is a 220V fully automatic small-sized voltage regulator, which is a portable LED digital display design. It is characterized by small size, light weight, high voltage regulation speed and no waveform distortion.

#### APPLICATION













toi mater p

#### PRODUCT PARAMETERS

MODEL	5KVA	8KVA	
INPUT VOLTAGE	AC 45-280V / AC 60	-280V / AC 95-280V	
OUTPUT VOLTAGE	220V:	±10%	
DELAY TIME	Short Delay:3-5secs	Long Delay:3-7mins	
PROTECTION	AC 24	6±4V	
POWER	5KW	8KW	
PRODUCT SIZE(MM)	420x290x140	460×320×175	
PACKING SIZE(MM)	470x340x195	510x370x233	
PCS/CARTON		I	
COC45 N.W.(KGS)	15.6	20.3	
COC95 N.W.(KGS)	14.5	18.4	
SCREEN	LED-3G		



# COC 10KVA



#### **E** 定能 www.syhn-electric.com



#### AC AUTOMATIC VOLTAGE REGULATOR

### COC-10KVA

#### PRODUCT FEATURES

The product of this model is a 220V fully automatic small-sized voltage regulator, which is a portable LED digital display design. It is characterized by small size, light weight, high voltage regulation speed and no waveform distortion.













PRODUCT PARAMETERS

MODEL	10KVA	
INPUT VOLTAGE	AC 45-280V / AC 60-280V / AC 95-280V	
OUTPUT VOLTAGE	220V±10%	
DELAY TIME	Short Delay:3-5secs Long Delay:3-7mins	
PROTECTION	AC 246±4V	
POWER	10KW	
PRODUCT SIZE(MM)	460×320×175	
PACKING SIZE(MM)	510x370x233	
PCS/CARTON	1	
COC45 N.W.(KGS)	23.5	
COC95 N.W.(KGS)	22.7	
SCREEN	LED-3G	



# COC 15KVA/20KVA



#### **P** 定能 www.syhn-electric.com



#### AC AUTOMATIC VOLTAGE REGULATOR

### COC-15KVA/20KVA

#### PRODUCT FEATURES

The product of this model is a 220V fully automatic small-sized voltage regulator, which is a portable LED digital display design. It is characterized by small size, light weight, high voltage regulation speed and no waveform distortion.













PRODUCT PARAMETERS

MODEL	15KVA	20KVA	
INPUT VOLTAGE	AC 45-280V / AC 60-	280V / AC 95-280V	
OUTPUT VOLTAGE	220V	±10%	
DELAY TIME	Short Delay:3-5s	ecs Long Delay:3-7mins	
PROTECTION	AC 24	16±4V	
POWER	15KW	20KW	
PRODUCT SIZE(MM)	302×271×423		
PACKING SIZE(MM)	360×325×510		
PCS/CARTON		1	
COC45 N.W.(KGS)	31.1	33.6	
COC95 N.W.(KGS)	29.4	31.65	
SCREEN	LED	-3G	



# TVC SERIES

#### **PRODUCT PARAMETERS**

- 0.5KVA/1KVA
- 2KVA
- 3KVA/5KVA/10KVA
- 15KVA



Quality for survival innovation for growth



# **TVC**0.5KVA/1KVA/1.5KVA



#### ® 定能 www.syhn-electric.com



#### AC AUTOMATIC VOLTAGE REGULATOR

### **TVC-0.5KVA / 1KVA / 1.5KVA**

#### PRODUCT FEATURES

The product of this model is a 220V fully automatic small-sized voltage regulator, which is a portable LED digital display design. It is characterized by small size, light weight, high voltage regulation speed and no waveform distortion.

#### APPLICATION













.....

#### PRODUCT PARAMETERS

MODEL	0.5KVA	1KVA	1.5KVA
INPUT VOLTAGE	AC 100-260V		
OUTPUT VOLTAGE		220V±3%	
DELAY TIME	Short De	elay:3-5secs Long Dela	ay:3-7mins
PROTECTION	AC 246±4V		
POWER	0.5KW	1KW	1.5KW
PRODUCT SIZE(MM)	228×142×116 253×152×136		
PACKING SIZE(MM)	310×305×315 330×330×355		
PCS/CARTON	4		
N.W.(KGS)	4.2	6.5	6.86
SCREEN	LED-4G		



# TVC 2KVA



#### **P** 定能 www.syhn-electric.com









#### AC AUTOMATIC VOLTAGE REGULATOR

### TVC-2KVA

#### PRODUCT FEATURES

The product of this model is a 220V fully automatic small-sized voltage regulator, which is a portable LED digital display design. It is characterized by small size, light weight, high voltage regulation speed and no waveform distortion.













PRODUCT PARAMETERS

MODEL	2KVA
INPUT VOLTAGE	AC 100-260V
OUTPUT VOLTAGE	220V±3%
DELAY TIME	Short Delay:3-5secs Long Delay:3-7mins
PROTECTION	AC 246±4V
POWER	2KW
PRODUCT SIZE(MM)	273×177×146
PACKING SIZE(MM)	380×350×375
PCS/CARTON	4
N.W.(KGS)	7.42
SCREEN	LED-4G



## TVC 3KVA/5KVA/10KVA



### **E** 定能 www.syhn-electric.com



#### AC AUTOMATIC VOLTAGE REGULATOR

### TVC 3KVA / 5KVA / 10KVA

#### PRODUCT FEATURES

The product of this model is a 220V fully automatic small-sized voltage regulator, which is a portable LED digital display design. It is characterized by small size, light weight, high voltage regulation speed and no waveform distortion.













PRODUCT PARAMETERS

MODEL	3KVA	5KVA	10KVA
INPUT VOLTAGE	AC 100-260V		
OUTPUT VOLTAGE	220V±3%		
DELAY TIME	Short Delay:3-5secs Long Delay:3-7mins		
PROTECTION	AC 246±4V		
POWER	3KW	5KW	10KW
PRODUCT SIZE(MM)	341×212×146	373×242×166	413×282×181
PACKING SIZE(MM)	390×260×200	423×290×220	465×335×235
PCS/CARTON	1		
N.W.(KGS)	11.5	16.92	23.3
SCREEN	LED-4G	LED-3G	



# TVC 15KVA



#### B 汇能 www.syhn-electric.com



#### AC AUTOMATIC VOLTAGE REGULATOR

### TVC-15KVA

#### PRODUCT FEATURES

The product of this model is a 220V fully automatic small-sized voltage regulator, which is a portable LED digital display design. It is characterized by small size, light weight, high voltage regulation speed and no waveform distortion.













PRODUCT PARAMETERS

MODEL	15KVA
INPUT VOLTAGE	AC 100-260V
OUTPUT VOLTAGE	220V±3%
DELAY TIME	Short Delay:3-5secs Long Delay:3-7mins
PROTECTION	AC 246±4V
POWER	15KW
PRODUCT SIZE(MM)	473×352×221
PACKING SIZE(MM)	525×405×310
PCS/CARTON	1
N.W.(KGS)	38.94
SCREEN	LED-3G



# TVC 20KVA



#### **E** 定能 www.syhn-electric.com



#### AC AUTOMATIC VOLTAGE REGULATOR

### TVC-20KVA

#### PRODUCT FEATURES

The product of this model is a 220V fully automatic small-sized voltage regulator, which is a portable LED digital display design. It is characterized by small size, light weight, high voltage regulation speed and no waveform distortion.













PRODUCT PARAMETERS

MODEL	20KVA
INPUT VOLTAGE	AC 110-250V
OUTPUT VOLTAGE	220V±3%
DELAY TIME	Short Delay:3-5secs Long Delay:3-7mins
PROTECTION	AC 246±4V
POWER	20KW
PRODUCT SIZE(MM)	380×350×601
PACKING SIZE(MM)	450×410×810
PCS/CARTON	1
N.W.(KGS)	
SCREEN	LED-3G



# **TVC** 30KVA



#### **E** 定能 www.syhn-electric.com



#### AC AUTOMATIC VOLTAGE REGULATOR

### TVC-30KVA

#### PRODUCT FEATURES

The product of this model is a 220V fully automatic small-sized voltage regulator, which is a portable LED digital display design. It is characterized by small size, light weight, high voltage regulation speed and no waveform distortion.













PRODUCT PARAMETERS

MODEL	30KVA
INPUT VOLTAGE	AC 110-250V
OUTPUT VOLTAGE	220V±3%
DELAY TIME	Short Delay:3-5secs Long Delay:3-7mins
PROTECTION	AC 246±4V
POWER	30KW
PRODUCT SIZE(MM)	400×450×865.5
PACKING SIZE(MM)	515×465×1020
PCS/CARTON	1
N.W.(KGS)	
SCREEN	LED-3G

#### まい。 FIL 能 E に 能

Quality for survival innovation for growth

www.syhn-electric.com